

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	11	(60/605.3.ccls. or 417/406-407.ccls. or 184/6.11-6.28.ccls.) and ("waste gate" or wategate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 09:38
L2	7	(60/605.3.ccls. or 417/406-407.ccls. or 184/6.11-6.28.ccls.) and ("waste gate" or wategate) and (oil or oiling or lubricate or lubricates or lubricating or lubrication or lubricated)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 10:10
L3	0	(60/605.3.ccls. ) and ("waste gate" or wategate) and (oil or oiling or lubricate or lubricates or lubricating or lubrication or lubricated)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 09:40
L4	2	(60/605.3.ccls. ) and ("waste gate" or wategate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 10:02
L5	42	(60/605.3.ccls. ) and water	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 10:03
L6	8	(60/605.3.ccls. ) and ( water near5 ((intake or inlet) near3 (manifold or duct or ducting or passage or pipe)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 10:07
L7	6	(417/406-407.ccls. ) and ( water near5 ((intake or inlet) near3 (manifold or duct or ducting or passage or pipe)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 10:07
L8	136	(turbo or turbocharger or supercharger or "turbo compressor" or "turbo supercharger") and (oil or oiling or lubricate or lubricates or lubricating or lubrication or lubricated) and ( water near5 ((intake or inlet) near3 (manifold or duct or ducting or passage or pipe)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 10:11

L9	38	((turbo or turbocharger or supercharger or "turbo compressor" or "turbo supercharger") near10 (oil or oiling or lubricate or lubricates or lubricating or lubrication or lubricated)) and ( water near5 ((intake or inlet) near3 (manifold or duct or ducting or passage or pipe)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 10:16
L10	1	"4561387".PN.	USPAT; USOCR	OR	OFF	2005/03/11 10:14
L11	1	"4608827".PN.	USPAT; USOCR	OR	OFF	2005/03/11 10:14
L12	1	"4739619".PN.	USPAT; USOCR	OR	OFF	2005/03/11 10:15
L13	1	"4829939".PN.	USPAT; USOCR	OR	OFF	2005/03/11 10:15
L14	22	((turbo or turbocharger or supercharger or "turbo compressor" or "turbo supercharger") near10 (oil or oiling or lubricate or lubricates or lubricating or lubrication or lubricated)) and ( water near5 ((intake or inlet) near3 (manifold or duct or ducting or passage or pipe))) and ((cool or cooling or cooled) near5 (gas or gases))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 10:19
L15	22	((turbo or turbocharger or supercharger or "turbo compressor" or "turbo supercharger") near10 (oil or oiling or lubricate or lubricates or lubricating or lubrication or lubricated)) and ( water near5 ((intake or inlet) near3 (manifold or duct or ducting or passage or pipe or "charge air"))) and ((cool or cooling or cooled) near5 (gas or gases))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 10:20
L16	53	((turbo or turbocharger or supercharger or "turbo compressor" or "turbo supercharger")and (oil or oiling or lubricate or lubricates or lubricating or lubrication or lubricated)) and ( water near5 ((intake or inlet) near3 (manifold or duct or ducting or passage or pipe or "charge air"))) and ((cool or cooling or cooled) near5 (gas or gases))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 10:20

L17	53	((turbo or turbocharger or supercharger or "turbo compressor" or "turbo supercharger") and (oil or oiling or lubricate or lubricates or lubricating or lubrication or lubricated)) and ( water near5 ((intake or inlet) near3 (manifold or duct or ducting or passage or pipe or "charge air")) and ((cool or cooling or cooled) near5 (gas or gases))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 10:20
L18	0	((turbo or turbocharger or supercharger or "turbo compressor" or "turbo supercharger") and (oil or oiling or lubricate or lubricates or lubricating or lubrication or lubricated)) and ( water near5 ("charge air manifold" or "charge air duct" or "charge air ducting" or "charge air passage" or "charge air pipe")) and ((cool or cooling or cooled) near5 (gas or gases))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 10:22
L19	0	((turbo or turbocharger or supercharger or "turbo compressor" or "turbo supercharger") and (oil or oiling or lubricate or lubricates or lubricating or lubrication or lubricated)) and ( water near5 ("charge air manifold" or "charge air duct" or "charge air ducting" or "charge air passage" or "charge air pipe"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 10:22
L20	0	((turbo or turbocharger or supercharger or "turbo compressor" or "turbo supercharger") and (oil or oiling or lubricate or lubricates or lubricating or lubrication or lubricated)) and ( water same ("charge air manifold" or "charge air duct" or "charge air ducting" or "charge air passage" or "charge air pipe"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 10:22
L21	66	((turbo or turbocharger or supercharger or "turbo compressor" or "turbo supercharger") and (oil or oiling or lubricate or lubricates or lubricating or lubrication or lubricated)) and ( water same ("air intake" or "air inlet") near3 (manifold or duct or ducting or passage or pipe))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 12:14
L22	55	((turbo or turbocharger or supercharger or "turbo compressor" or "turbo supercharger") and (oil or oiling or lubricate or lubricates or lubricating or lubrication or lubricated)) and ("oil pump" near3 (control or controller or controlling or controlled))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 12:15

L23	33	((turbo or turbocharger or supercharger or "turbo compressor" or "turbo supercharger") and (oil or oiling or lubricate or lubricates or lubricating or lubrication or lubricated)) and ("oil pump" near3 (control or controller or controlling or controlled)) and ((engine or engines) near3 (speed or speeds))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 12:22
L24	6	"4716735"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 12:17
L25	2	"4716735" and pump	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 12:17
L26	8	(turbo or turbocharger or supercharger or "turbo compressor" or "turbo supercharger") and ((oil or oiling or lubricate or lubricates or lubricating or lubrication or lubricated) near3 (bearing or bearings)) and ("oil pump" near3 (control or controller or controlling or controlled)) and ((engine or engines) near3 (speed or speeds))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 12:26
L27	0	60/605.3.ccls. and ("oil pump" near3 (control or controller or controlling or controlled)) and ((engine or engines) near3 (speed or speeds))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 12:24
L28	8	184/6.11-6.28.ccls. and ("oil pump" near3 (control or controller or controlling or controlled)) and ((engine or engines) near3 (speed or speeds))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 12:24
L29	0	417/406-407.ccls. and ("oil pump" near3 (control or controller or controlling or controlled)) and ((engine or engines) near3 (speed or speeds))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 12:25
L30	61	(turbo or turbocharger or supercharger or "turbo compressor" or "turbo supercharger") and ((oil or oiling or lubricate or lubricates or lubricating or lubrication or lubricated) near3 (bearing or bearings)) and ( pump near3 (control or controller or controlling or controlled)) and ((engine or engines) near3 (speed or speeds))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 12:55

L31	2	(turbo or turbocharger or supercharger or "turbo compressor" or "turbo supercharger") and ((oil or oiling or lubricate or lubricates or lubricating or lubrication or lubricated) near3 (bearing or bearings)) and ( pump near3 (control or controller or controlling or controlled)) and ((engine or engines) near3 (speed or speeds)) and "fill cap"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 13:00
L32	4	(turbo or turbocharger or supercharger or "turbo compressor" or "turbo supercharger") and ((oil or oiling or lubricate or lubricates or lubricating or lubrication or lubricated) near3 (bearing or bearings)) and "fill cap"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 12:58
L33	2	60/605.3.ccls. and "fill cap"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 12:58
L34	2	417/406-407.ccls. and "fill cap"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 12:58
L35	7	184/6.11-6.28.ccls. and "fill cap"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 12:59
L36	4	(turbo or turbocharger or supercharger or "turbo compressor" or "turbo supercharger") and ((oil or oiling or lubricate or lubricates or lubricating or lubrication or lubricated) near3 (bearing or bearings)) and "fill cap"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 13:00
L37	3	( turbocharger or supercharger or "turbo compressor" or "turbo supercharger") and ((oil or oiling or lubricate or lubricates or lubricating or lubrication or lubricated) near3 (bearing or bearings)) and "fill cap"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 14:39
L38	24	"oil pump" and ((mount or mounting or mounted or mountable) near3 hardware)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 13:36

L39	30	("oil pump" same hardware)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 13:36
L40	0	("oil pump" near5 ((mount or mounting or mounted or mountable) near3 hardware))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 13:37
L41	6	("oil pump" same ((mount or mounting or mounted or mountable) near3 hardware))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 13:37
L42	1184	("oil pump" near5 (mount or mounting or mounted or mountable))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 13:38
L43	45	("oil pump" near5 (mount or mounting or mounted or mountable)) and (turbocharger or supercharger or "turbo supercharger" or "turbo compressor")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 13:52
L44	6	("oil pump" near5 (clamp or clamps or plate or plates or base)) and (turbocharger or supercharger or "turbo supercharger" or "turbo compressor")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 13:53
L45	140	((turbocharger or supercharger or "turbo compressor" or "turbo supercharger") near10 muffler)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 14:39
L46	1	2004-447007.NRAN.	DERWENT	OR	OFF	2005/03/11 14:47